



LAKE BOONDOOMA AUSTRALIAN BASS AND GOLDEN PERCH 2011-2020 2020 REVIEW

Stocked fish numbers, tagged and recaptured fish, catch rates, fish sizes, growth, survival, locations, movement, recapture fisher postcodes and competitions

The following dashboard provides a summary of Australian Bass and Golden Perch data from Lake Boondooma covering the past 10 years.

Summary

- Dam level on 31 Dec 2020 was 29%
- From 2011-2018 there were 691.1k Bass and 606.0K Golden Perch fingerlings released
- Over the past 10 years there were 715 Bass tagged for 63 recaptures (8.8%) and 148 Golden Perch tagged for 6 recaptures (4.1%)
- There was no catch data for 2020 while the 10 year average historic catch rate for Bass was 3.8 fish/fisher day and for Golden Perch it was 0.9 fish/fisher day
- The average length for Bass in 2019 was 264mm and ranged from 155-445mm while there were insufficient Golden Perch recorded
- The percentage of legal Bass in 2019 was 25.5% with 0% trophy fish 500mm and over
- Annual growth of Bass calculated from tag recaptures at the end of year 1 is 46mm and at the end of year 5 is 120mm
- Longest time out for a Bass after tagging was around 15 years however 1 fish was recaptured after 18.9 years
- Over the past 10 years most Bass were tagged in LBP map grids E15, F15 and G15 and most Golden Perch were tagged in E18, G15 and F16
- Of the 63 Bass and 6 Golden Perch recaptured over the past 10 years and tagged since 2011 none have been recaptured outside the impoundment
- For Bass tagged prior to 2011 and recaptured since there were 8 fish recaptured downstream below the dam
- There were 2 fish recaptured in Splitters Creek (near Bundaberg) 340km below the dam and after going over 2 dam walls and 4 weirs
- Over the past 10 years most postcodes of fishers recapturing fish were 4610 (Kingaroy), 4405 (Dalby) and 4606 (Wondai)
- There were 5 recaptures by fishers with NSW postcodes and 2 by fishers from VIC
- Catch rates in Fishing Freshwater competitions from 2018-2020 ranged from 1.8 in 2019 to 2.7 fish/fisher day in 2018
- Only legal fish were submitted to the competitions with average lengths ranging from 346mm in 2020 to 351mm in 2019

Infofish Australia January 2021



LAKE BOONDOOMA	LOCATION	BATHYMETRY
	Coral Sea QUEENSLAND a Brisbane	
MEASURE	ACTUAL	GRAPH or MAP
Surface area Lake capacity	Surface area 18.15km ² Level at 31 Dec 2020 29% For latest level <u>https://www.sunwater.com.</u> <u>au/water-data/historical-</u> <u>dam-capacity/</u>	FULL 2010 2012 2014 2016 2018 2020
Fingerlings stocked 2011-2018	HIGHEST LOWEST TOTAL BASS 2014 2018 260.0K 0 691.1K GOLDEN PERCH 2015 2016 183.4K 0 606.0K	BOONDOOMA FISH STOCKED
Bass tagged and recaptured 2011-2020	TAGGEDRECAPTURED71563RECAPTURE RATE8.8%	BOONDOOMA BASS TAGGED AND RECAPTURED
Golden Perch tagged and recaptured 2011-2020	TAGGEDRECAPTURED1486RECAPTURE RATE4.1%	BOONDOOMA GOLDEN PERCH TAGGED AND RECAPTURED 5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Postcodes of recapture fishers 2011-2020	Postcodes 123 POSTCODE FISHERS 4610 12 4405 12 4606 11 NSW 5 VIC 2 No code 13	

Recapture fishers from region 2011-2020	REGION LOCAL DARLING DOWNS SEQ FRASER-BURNETT INTERSTATE	FISHERS 35 (28%) 43 (35%) 30 (24%) 8 (7%) 7 (6%)	BOONDOOMA RECAPTURE FISHER POSTCODES FRASER. INTERSTATE BURNET 55 55 245 25 55 0 245 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Product of Infofie	CRYSTALBOWL	SUN	FFSAQ Drted by Suntag and FFSAQ

LAKE BOONDOOMA

AUSTRALIAN BASS





MEASURE	ΑCTUAI	_		GRAPH or MAP
Bass catch and effort number of fish	HIGHEST CATCH	LOWEST	NOW	BOONDOOMA BASS 120 100 30
fisher days	2011	2012	2020	80 25
T20 fishers 2011-2020	110 EFFORT	47	NA	
	2011 32	2019 12	2020 NA	0 2011 2012 2013 2014 2015 2016 2017 2018 2019 2020 FISH - FISHERDAYS
Bass catch rate	HIGHEST	LOWEST	NOW	BOONDOOMA BASS CATCH RATE
Fish/fisher day	CATCH RA			9.0
2011-2020	2019	2014	2020	8.0
	8.3	2.5	NA	V0 6.0
				퍞 3.0
	10 YEAR A	VERAGE	3.8	2.0 1.0 2.01 2012 2013 2014 2015 2016 2017 2018 2019 2020
Average length (mm)	HIGHEST	LOWEST	NOW	BOONDOOMA BASS AVERAGE LENGTH
Bars show smallest and	AVERAGE	LENGTH		600.0
largest fish	2015	2018	2020	
2011-2020	365 LARGEST	237	NA	S4000 H 1000 LEGAL
	2013	2018	2020	100.0
	555	410	NA	0.0 - 2011 2012 2013 2014 2015 2016 2017 2018 2019 2020
Fish lengths percentage	HIGHEST	LOWEST	NOW	BOONDOOMA BASS LENGTHS
Undersize <300mm	LEGAL			90%
Legal 300-499mm	2011 84.8	2017 19.2	2020 NA	20%
Trophy 500+mm 2011-2020	84.8 TROPHY	19.2	NA	
2011-2020	2016	2018	2020	10%
	4.2	0	NA	2011 2012 2013 2014 2015 2016 2017 2018 2019 2020 ■ UNDERSIZE ■LEGAL ■ TROPHY
Bass growth	Recapture	es 100		BOONDOOMA BASS GROWTH
based on all recaptures	ANNUAL GROWTH			350 300 • y = 46.131ln(x) - 226.44
2011-2020	Year 1 45mm			
	Year 2 78mm			220 (WU) HU HU 150 10 10 10 10 10 10 10 10 10 10 10 10 10
	Year 3 96mm			⁶ 100
	Year 4	110m		
	Year 5	120m	Im	0 1000 2000 3000 4000 5000 6000 7000 8000 DAYS OUT

Bass survival based on	Survival rate by years out	BOONDOOMA BASS SURVIVAL
recaptures by years out	Year Recaptures	1200
after tagging	1 1038	SI 1000 HULLA 800
	5 263	5 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
	10 39	¥ 400
	15 2	ž 200
	Longest time out (years)	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 YEARS OUT
	18.9 1	
Grid locations of fish	Grids where most fish tagge	ed
2011-2020	GRID FISH	
	E15 77	
	F15 61	
	G15 52	
	H21 46	
	l12 43	A MARKED AND AND AND
Deserve and the form	Decembrance F7	
Bass movements from	Recaptures 57	BOONDOOMA BASS MOVEMENT SINCE 2011
recaptures since 2011	Recaptured same area 14 (24.6%)	
2011	Down lake Up lake	
	36 (63.2%) 7 (12.3%)	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	Outside lake	-10
	0	-15 DAYS OUT (YEARS) • UPLAKE • DOWNLAKE
Bass recaptured outside	Recaptures 9	BASS RECAPTURED OUTSIDE LAKE
impoundment	Above lake Below lake	400
Tagged before 2011	1 8	
Recaptured after 2011	Burnett River	
	8	330 • • 300 • • 300 • • 300 • • 300 • • 300 • • 300 • • 300 • • 300 • • 300 • • 300 • • 300 • • 300 • • 300 • • 300 • •
	5	
		DAYS OUT Obtance ABOVE DAM
Bass recaptured outside	Max distance (km)	
impoundment	Splitters Creek (2 fish) near	
•	Bundaberg	
	340km over 2 dam walls and	d
	4 weirs	
		от ноокроома.

LAKE BOONDOOMA

GOLDEN PERCH





MEASURE	ACTUAI	L		GRAPH or MAP
Golden Perch catch and effort number of fish fisher days	HIGHEST CATCH 2013 31	LOWEST 2019 5	NOW 2020 NA	BOONDOOMA GOLDEN PERCH FISH AND DAYS
T20 fishers 2011-2020	EFFORT 2011 31	2012 11	2020 NA	0 2011 2012 2013 2014 2015 2016 2017 2018 2019 2020
Golden Perch catch rate Fish/fisher day 2011-2020	HIGHEST CATCH RA 2013 1.1 10 YEAR A	2019 0.4	NOW 2020 NA 0.9	BOONDOOMA GOLDEN PERCH CATCH RATE
Average length (mm) Bars show smallest and largest fish 2011-2020	HIGHEST AVERAGE 2016 456 LARGEST 2016 560	LOWEST LENGTH 2012 401 2012 435	NOW 2020 NA 2020 NA	BOONDOOMA GOLDEN PERCH AVERAGE LENGTH
Fish lengths percentage Undersize <300mm Legal 300-499mm Trophy 500+mm 2011-2020	HIGHEST LEGAL 2014-16 100 TROPHY 2016 17.6	2013 96.8 2011-12 0	NOW 2020 NA 2020 NA	BOONDOOMA SGOLDEN PERCH LENGTHS
Golden Perch growth and survival from recaptures	Recaptures 6 Insufficient recaptures Longest time out (years) 10.3			
Grid locations of fish 2011-2020	Grids whe GRID E18 G15 F16	ere most fisl FISH 25 19 11		

Golden Perch movements	Recaptures	4	BOONDOOMA GOLDEN PERCH MOVEMENT
from recaptures since	Recaptured sa	me area	
2011	2		6 4 (X)
	Down lake	Up lake	Q 0 ●
	1	1	₩ -2 0 • 365 ₹ -4 5 -6
	Outside lake		-8 -10
	0		DAYS OUT (YEARS) • UP LAKE • DOWN LAKE

COMPETITIONS	ACTUAL		GRAPH
Fishers Fishing Freshwater 2018 Fishing Freshwater 2019 Fishing Freshwater 2020	Fishers 90 108 90	Catching fish 43 24 38	FISHING FRESHWATER COMPETITION BOATS
Catch rate Legal fish Fishers catching fish (FCF) T20 fishers (T20)	FCF 2018 2.7 2019 1.8 2020 2.5	T20 5.6 3.9 6.8	FISHING FRESHWATER COMPETITION BASS
Catch rates T20 Taggers Competition fishers Legal fish	T20 (Tag) 2019 2.8	T20 (comp) 3.9	BOONDOOMA BASS CATCH RATE LEGAL FISH
Competition Bass lengths Average legal (mm)	Highest 2019 351	Lowest 2020 346	COMPETITION BASS LENGTH
Fishing heat map 2018			
Fishing heat map 2019			
Fishing heat map 2020			

DATA SOURCES

Data used in the Impoundment Crystal Bowl are:

- Tag records and recapture records for the impoundment at http://crystalbowl.infofishaustralia.com.au/
- Dam level data from Sunwater https://www.sunwater.com.au/water-data/historical-dam-capacity/
- Fishing Freshwater competitions in Lake Boondooma
- Competition dashboard for 2018 at <u>https://tournaments.trackmy.fish/public/reports/217/ff.golden.lure.2018.html</u>
- Competition dashboard for 2019 at <u>https://tournaments.trackmy.fish/public/reports/217/ff.boondooma.open.2019.html</u>
- Competition dashboard for 2019 at <u>https://tournaments.trackmy.fish/public/reports/217/ff.festivalofthedams.2020.html</u>
- Bathymetric data from Infofish Biosonics surveys or other sources

BASIS FOR ANALYSIS

- Catch rates calculated as number of fish tagged/fisher/day for taggers
- Catch rates calculated as number of fish registered through Trackmyfish/fisher/day
- Growth calculated using logarithmic curve from recaptures where fish were out for 90 days or more and had positive growth
- Locations based on Infofish grid map for the impoundment and for other grid maps where fish left the impoundment
- Distance moved calculated using Google Earth as the shortest distance by water between the tag and recapture location