



LAKE BOONDOOMA REVIEW 2024

INFORMATION RATING



Stocking group: Boondooma Dam Fish Stocking and Management Association Inc

Species stocked: Australian Bass, Golden Perch, Silver Perch

Stocking timeframe: 2013-2020 Fish timeframe: 2015-2024 Fisher timeframe: 2020-2024 Competition timeframe: 2023-2024

DAF link: https://www.daf.qld.gov.au/rsa/sips-dams-and-weirs/profile?dam=boondooma-dam

Up to 2020 Lake Boondooma has been stocked with over 1,425,500 Bass, over 1,340,800 Golden Perch, and over 92,000 Silver Perch with funding from SIPS.

Kingaroy is the main town within local distance however it is mostly a visitor fishery with fishers recapturing fish coming from central and southern Queensland. Fishing activity occurs throughout the year while weekends see more activity than weekdays. The fishery is mostly experiential although there is a modest level of harvest.

Tagging in Boondooma has been at a low level for the past few years so the data here should be treated as indicative only.

The lake level fell steadily during the past decade until 2022 when it spilled for much of the year. Due to the low numbers of tagged fish, there were no recaptures recorded from below the dam since then. However, following previous spills there have been 4 Bass recaptured below the dam from 2015-2021 as far down as Splitters Creek at Bundaberg, a distance of 340km.

The lake spilled again at the end of Dec this year.

Freshwater Fishing Festival of the Dams competitions in 2023 and 2024 provide additional information on fish sizes and catch rates. Overall catch rates fell from 2023 to 2024 from 4.2 to 1.8 fish/day.












Product of Infofish Australia

Supported by Suntag, Fishing Freshwater, and FFSAQ




FISHERS ACTUAL GRAPH or MAP DATA RELIABILTY Reliability level Sample size (days fished) MODERATE MODERATE 271 Tag days (blue arrow) Confidence 80% 80% 90% 90% 95% 99% 10% Error 20% **Recaptures (orange arrow) Confidence %** Error % 2020-2024 **TYPE OF FISHERY** Months most effort Seasonality BOONDOOMA SEASONALITY Mean monthly rainfall Taggers/recap fishers Feb (mm) Days fished Oct Taggers and recapture fishers combined 2020-2024 RAINFALL -Harvest or experiential Bass legal fish kept rate TYPE OF FISHERY fishery Legal fish 23 Release rate of recaptured Kept 7 (30%) Released 16 (70%) legal Bass (ex-taggers) 2020-2024 Local or visitor fishery Recapture fishers 29 TYPE OF FISHER Where recapture fishers Local 5 (17%) live Visitor 24 (83%) 2020-2024 LOCAL ■LOCAL ■ INTRASTATE III INTERSTATE **ACTIVITY** Monthly activity Month % BOONDOOMA FISHER ACTIVITY Days fished Taggers Feb 44% Taggers (34) Oct 21% Recapture fishers (28) Recaps Aug 19% 2020-2024 19% Oct ■ TA GGERS ■ RECAPTURE FISHERS Weekday activity % Day BOONDOOMA WEEKDAY ACTIVITY Days fished Weekend 36% Taggers Taggers (34) Weekdays 64% Recapture fishers (28) Recaps Weekend 64% 2020-2024 Weekdays 36%






Where recapture fishers live (red stars) Local Intrastate 2020-2024



STOCKING				
AUSTRALIAN BASS	GOLDEN PERCH		SOUTHERN SARATOGA	
SILVER PERCH				
Fingerlings stocked from SIPS to 2020	Bass Golden Perch Silver Perch	Fingerlings 1,425,500 1,340,800 92,000	BOONDOOMA FINGERLINGS FROM SIPS TO 2020 1,600,000 1,000,000 1,000,000 600,000 400,000 0 AUSTRALIAN BASS GOLDEN PERCH SILVER PERCH	
Fingerlings stocked each year 2013-2018 (no records from 2019- 2022)			BOONDOOMA FISH STOCKED 2013-2022 30000 250000 150000 100000 0 2013 2014 2015 2016 2017 2018 2019 2020 2021 2022 BAUSTRALIAN BASS GOLDEN PERCH SISTLYER PERCH	
Fish tagged 2015-2024 per 10,000 fingerlings stocked 2013-2022 (size that could be tagged)	Bass Golden Perch Silver Perch	13 1 0	BOONDOOMA FISH TAGGED PER 10,000 FINGERLINGS STOCKED 14 12 10 8 6 4 2 0 BASS GOIDEN PERCH SILVER PERCH	
Species tagged 2015-2024	Bass Golden Perch Saratoga Silver Perch	911 68 1 0	BOONDOOMA SPECIES TAGGED 300 220 200 100 100 50 0 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 ■ BASS ■ GOLDEN PERCH ■ SARATOGA ■ SLIVER PERCH	

ACTUAL BASS GRAPH or MAP DATA RELIABILITY Sample size (av fish/year) Reliability level MODERATE Tagged (blue arrow) 90% 80% 80% Confidence 90% 95% 99% Error 20% 10% 10% **Recaptures (orange arrow) Confidence %** Error % 2020-2024 **TAGGED** Bass tagged and Tagged Recaptured BOONDOOMA BASS TAGGED AND RECAPTURED recaptured in lake 107 922 2015-2024 Recapture rate 11.6% Tagged 2024 23 TAGGED # RECAPTURED **EFFORT** Tag and effort taggers High Low Now BOONDOOMA BASS TAGGED AND DAYS Fish Catch Days fished 2021 2020 2024 2015-2024 251 12 23 Days 2020 2021 2024 19 1 ■DAYS FISHED ■ BASS 3 Lake level LAKE BOONDOOMA LEVEL (%) AND FISH TAGGED Fish tagged 1 20 1.00 2015-2024 ® 80 80 LEVEL 60 40 20 Jan-25 **TAG RATES** Tag rate High BOONDOOMA BASS TAG RATE Low Now Fish/day Catch rate 2015-2024 2017 2024 2019 10 YEAR AVERAGE (2022-24 insufficient days) 13.2 4.0 NA 10 year average 8.5

LENGTHS				
Average length (mm) Bars show length range	High Average	Low	Now	BOONDOOMA BASS LENGTHS (MM) TROPHY
Dots show outliers	2018	2021	2024	500 400
2015-2024	330	285	297	300 LEGAL
	Largest			100
	2022	2020	2024	2015 2016 2017 2018 2019
	600	470	380	2020 2021 2022 2023 2024
Fish lengths percentage	High	Low	Now	BOONDOOMA BASS LENGTHS
Undersize <300mm Legal 300-499mm	Legal-trop 2018	ony 2021	2024	90% 80% 70%
Trophy 500+mm	70%	38%	48%	6.00% 5.00%
2015-2024	Trophy	3070	1070	30%
	2016	2021	2024	0% 0% 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024
	3%	0%	0%	■UNDERSIZE ■LEGAL ■TROPHY
FATE				
Legal Bass recaptured by	Recapture	es	27	RECAPTURED LEGAL BASS FATE
recfishers (ex-taggers) 2015-2024	Kept Released		7 (26%)	9.0% 8.0% 7.0%
2015-2024	Released		20 (74%)	60% 50%
				4.0% 30% 20%
				10% 0% 2020-2024
				■ KEPT ■ RELEASED
GROWTH				
Bass growth at the end of	Recapture		98	BOONDOOMA BASS GROWTH
each year based on	Growth (r	nm)		y = 42.024ln(x) - 207.86
recaptures of fish 2015-2024	Year 1 Year 2		41 71	E 150
2015-2024	Year 3		88	150 (a)
	Year 4		100	50
	Year 5		109	0 1825 3650 5475 7300 DAYS OUT (5 YEARS)
MOVEMENT				
Bass movement in lake	Recapture	es	100	BOONDOOMA BASS MOVEMENT
recaptures of fish	Same are	a	22(22%)	20
2015-2024	Down lak	e	56 (56%)	(W) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	Up lake		18 (18%)	N 0 1460 1825 219 555 2920
	Below lak	e	4 (4%)	SS -5
				-15 DAYS OUT (YEARS) • RECAPTURED SAME AREA • DOWN LAKE • UP LAKE





ACTUAL

GRAPH or MAP

DATA RELIABILITY


Sample size (av fish/year)
Tagged (blue arrow)
Recaptures (orange arrow)
Confidence %
Error %
2020-2024

Reliability level	LOW		MODERATE	MODERATE		HIGH
Samples	10	41	68	271	384	664
Confidence	80%	80%	90%	90%	95%	99%
Error	20%	10%	10%	5%	5%	5%

TAGGED


Golden Perch tagged and recaptured 2015-2024

Tagged Recaptured
69 6
Recapture rate
8.7%
Tagged 2024
2



LENGTHS


Fish lengths (mm) Undersize <300mm Legal 300-499mm Trophy 500+mm 2015-2024 Length mm Average 417 Largest 560



LOCATIONS

Locations Tagged fish (red-orange heat map) Recaptured (blue dots) 2015-2024

Tagged 69 Recaptured 6




SARATOGA	ACTUAL		GRAPH or MAP
TAGGED			
Saratoga Tagged Recaptured 2015-2024	Tagged 1	Recaptured 0	BOONDOOMA SARATOGA TAGGED AND RECAPTURED 8 2 0 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024

SILVER PERCH	ACTUAL		GRAPH or MAP
TAGGED			
Silver Perch Tagged Recaptured 2015-2024	Tagged 0	Recaptured 0	

COMPETITIONS	ACTUAL			GRAPH or MAP		
Freshwater Fishing Events Festival of the Dams FFLBP2023 FFLBP2024	Target species Australian Bass Golden Perch			freshwater Festival of the Dams		
COMPETITION DATES						
Timeline of events Competitors FFLBP2023 FFLBP2024	Dates 9-10/9/2023 7-8/5/2024 (Competitors FFLBP2023 FFLBP2024) 34 44	FFBP COMPETITIONS TIMELINE 1/12/24 23/8/24 15/5/24 28/10/23 20/7/23 11/4/23 11/4/23 11/4/23 1 2 3 4 5 EVENT DAYS		
SPECIES						
Species composition FFLBP2023 FFLBP2024	Event FFLBP2023 FFLBP2024	Bass 73% 85%	GP 27% 15%	SPECIES COMPOSITION 100% 90% 80% 70% 60% 50% 40% 30% 20% 10% FFBP2023 FFBP2024		
EFFORT						
Days fish Catch FFLBP2023 FFLBP2024	Event FFLBP2023 FFLBP2024	Days 51 66	Fish 213 119	FFLBP COMPETITION FISH AND DAYS FISHED 250 200 150 100 FFBP2023 FFBP DAYS FISHED		
CATCH RATES						
Catch rates all fish Fish/day (legal fish only)	Event FFLBP2023 FFLBP2024	Cato	h rate 4.2 1.8	FFLBP COMPETITION CATCH RATE 4.50 4.00 3.50 3.00 3.00 4.60 2.00 1.50 1.50 1.00 0.50 0.00 FFBP2023 FFBP2024		
Catch rates Bass Golden Perch Fish/day (legal fish only)	Event FFLBP2023 FFLBP2024	Bass 3.0 1.5	GP 1.1 0.3	### ALL BASS GOIDEN PERCH		

LENGTHS		
Bass lengths (mm) Bars show length range Dots show outliers	Event Average Max FFLBP2023 355 450 FFLBP2024 361 580	FFLBP COMPETITION BASS LENGHTS (MM) TROPHY LEGAL FFLBP2023 FFLBP2024
Golden Perch lengths (mm) Bars show length range Dots show outliers	Event Average Max FFLBP2023 423 550 FFLBP2024 384 460	FFLBP COMPETITION GOLDEN PERCH LENGTHS (MM) TROPHY LEGAL 100 TROPHY FFLBP2023 FFLBP2024
LOCATIONS		
Heat map Bass caught during FFLBP competition Bass 152 2023		
Heat map Bass caught during FFLBP competition Bass 98 2024		



Data sources

Data used in the Lake Boondooma Crystal Bowl are:

- Tag records and recapture records for the impoundment at http://crystalbowl.infofishaustralia.com.au/.
- Dam level data from Sunwater at https://www.sunwater.com.au/water-data/historical-dam-capacity/.
- Stocked fish records from https://www.data.qld.gov.au/dataset/queensland-freshwater-fish-stocking-records/ and https://www.data.qld.gov.au/dataset/queensland-freshwater-fish-stocking-records/ and https://www.daf.qld.gov.au/rsa/sips-dams-and-weirs/profile?dam=boondooma-dam.
- Rainfall from station 040722 Boondooma Dam and temperature from station 040922 Kingaroy Airport from http://www.bom.gov.au/climate/data.
- Freshwater Fishing Festival of the Dams competition data from Infofish Trackmyfish from http://tournaments.trackmy.fish.

Basis for analysis

- Data reliability for fishers based on the sample size over the past 5 years for days fished by taggers and by fishers recapturing fish.
- Data reliability for fish based on average number of fish tagged and recaptured per year over the past 5 years.
- Catch rates calculated as number of fish tagged/day for taggers with a minimum of 12 fisher days (at least 1 per month) to provide a reliable catch rate.
- Undersized Bass and Golden Perch are <300mm, legal fish are >=300 and <500mm and trophy fish are >=500mm.
- Undersized Southern Saratoga are <500mm, legal fish are >=500 and <700mm and trophy fish are >=700mm.
- Growth calculated using logarithmic curve from recaptures where fish were out for 90 days or more and had positive growth.
- Locations based on Infofish grid map LBP for the impoundment and other grid maps where fish were recaptured outside the impoundment.
- Distance moved was the shortest distance by water between the tag and recapture location measured in Google Earth.
- Travel proxy distance is the distance between where the fisher lives (address, suburb, town
 or postcode) and the recapture location. Local <70km, intrastate Qld elsewhere, interstate
 other than Qld.