



#### LAKE CRESSBROOK REVIEW 2024

#### **INFORMATION RATING**



Stocking group: Toowoomba and District Fish Stocking Association

Species stocked: Australian Bass, Golden Perch, Silver Perch, Mary River Cod

Stocking timeframe: 2014-2024 Fish timeframe: 2015-2024 Fisher timeframe: 2020-2024

DPI link: https://www.dpi.qld.gov.au/rsa/sips-dams-and-weirs/profile?dam=cressbrook-

dam.

Lake Cressbrook has been regularly stocked with Australian Bass and Golden Perch and some limited stocking of Mary River Cod.

There were 4,816 fish tagged in the lake from 1994-2014 with 569 recaptures (11.8%). However, tagging has fallen away in the last decade, mostly due to low catch rates. Other lakes in the area have higher catch rates which attract the tagging effort. This has resulted in a gradual decline in the available data and that is currently at a very low level. All data in this dashboard needs to be viewed with caution due to the low levels of confidence.

Bass growth rates were derived from historical tag and recapture data from 2000-2024 and indicates a slow growth rate of 19mm in the first year and 54mm by the end of year 5. This is one of the slowest growth rates for Bass in stocked lakes.

There have been 2 recaptures of Bass tagged in Cressbrook that were recaptured in Lake Wivenhoe.











Product of Infofish Australia

Supported by Suntag and Freshwater Fish Stocking Association of Queensland



FISHERS	ACTUAL	GRAPH or MAP		
DATA RELIABILITY				
Sample size (days fished) Tag days (blue arrow) Recaptures (orange arrow) Confidence % Error % 2020-2024	Reliability level   LOW   41   68   68   68   68   68   68   68   6	MODERATE         MODERATE         HIGH           3         271         384         664           90%         90%         95%         99%           10%         5%         5%         5%		
TYPE OF FISHERY				
Seasonality Mean monthly rainfall (mm) Days fished combined Taggers Recapture fishers 2020-2024	Months most effort Taggers Apr Recapture fishers Oct	CRESSBROOK SEASONALITY  35 30 120 30 225 80 60 40 Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec		
Harvest or experiential fishery Release rate of recaptured legal Bass 2015-2024	Legal fish kept rate Legal fish 19 Kept 2 (11%) Released 17 (89%)	TYPE OF FISHER  HARVEST EXPERIENTIAL  0% 20% 40% 60% 80% 100%  ■ KEPT ■ RELEASED		
Local or visitor fishery Where recapture fishers live 2020-2024	Recapture fishers 9 Local 7 (78%) Visitor 2 (22%)	TYPE OF FISHER  USSITOR  VISITOR  VISITOR  0% 20% 40% 60% 80% 100%  BLOCAL INTRASTATE INTRESTATE		
ACTIVITY				
Monthly activity Days fished Taggers (45) Recapture fishers (23) 2015-2024	Month % Taggers Mar 18% May 18% Recaps Jul 22% Aug 13%	CRESSBROOK ACTIVITY BY MONTH  25%  20%  15%  15%  10%  15%  10%  15%  10%  15%  10%  15%  10%  15%  10%  15%  10%  15%  10%  15%  10%  10		
Weekday activity Days fished Taggers (45) Recapture fishers (23) 2015-2024	Day % Taggers Weekend 29% Weekdays 71% Recaps Weekend 43% Weekdays 57%	CRESSBROOK ACTIVITY BY WEEKDAY  35% 30% 25% 20% 15% 15% 10% MON TUE WED THU FRI SAT SUN TAGGERS RECAPTURE FISHERS COMBINED		



Distance (km) home to recapture location Bars show distance range Dots show outliers 2020-2024	Trips Range (km) Local Intrastate Interstate	9 13-46 90-315 -	HOME TO RECAPTURE LOCATION (KM)  400  350  300  250  150  X  LOCAL INTRASTATE INTERSTATE
Proxy average travel distance (km) home to recapture location 2020-2024	Trips Average distance (k Local Intrastate Interstate	9 m) 33 203 -	HOME TO RECAPTURE LOCATION AVERAGE DISTANCE (KM)  200 150 0 LOCAL INTRASTATE INTERSTATE
DEMOGRAPHICS			
Where recapture fishers live 2020-2024	Fishers Local Intrastate Interstate	9 7 (78%) 2 (22%) -	WHERE RECAPTURE FISHERS LIVE  100%  90%  80%  70%  60%  50%  40%  30%  10%  0%
Where recapture fishers live Local (7) Intrastate (2) Interstate (0) Tagged (red-orange heatmap) Recaptures (blue dots) Recapture fishers (houses) 2020-2024			J-PEPPMAN CONTROL
Roma.	Survivis State forces	Jardouae  Mariante Curstord Cu	Company  Com

FISH	ACTUAL		MAP or GRAPH	
AUSTRALIAN BASS	GOLDEN PERCH		MARY RIVER COD	
STOCKING				
Fingerlings stocked 2015-2022  Fingerlings stocked by year 2015-2022 (no records after 2018)	Australian Bass Golden Perch Mary River Cod	130,000 75,000 7,500	FINGERLINGS STOCKED 2015-2022  140000 120000 100000 80000 60000 40000 20000 0 AUSTRALIAN BASS GOLDEN PERCH MARY RIVER COD  CRESSBROOK STOCKED FISH  40000 30	
SPECIES TAGGED			■ AUSTRALIAN BASS ■ GOLDEN PERCH ■ MARY RIVER COD	
Species tagged 2015-2024	Bass Golden Perch Mary River Cod	Tagged 245 13 0	CRESSBROOK SPECIES TAGGED  140 120 120 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024	

# AUSTRALIAN BASS

**ACTUAL** 

## **GRAPH or MAP**



## **DATA RELIABILITY**

Sample size (av fish/year)
Tagged (blue arrow)
Recaptures (orange arrow)
Confidence %
Error %
2020-2024


Reliability level	LOW		MODERATE	MODERATE		HIGH
Samples	10	41	68	271	384	664
Confidence	80%	80%	90%	90%	95%	99%
Error	20%	10%	10%	5%	5%	5%



## **TAGGED**


Bass tagged and recaptured including recaptures from below dam 2015-2024

Tagged 245
Recaptured 22
Recapture rate 9.0%
Tagged 2024 0



## **EFFORT**

Catch and effort	High	Low	Now
Taggers	Tagged		
Fish tagged	2017	2023	2024
Days fished	127	2	0
2015-2024	Days		
	2017	2018	2024
	14	3	0




## **TAG RATE**

 Tag rate
 High
 Low

 Fish/day
 Tag rate

 2015-2024
 2017
 2018

 (2024 no days)
 9.1
 2.0



## **LENGTHS**

Average length (mm)
Bars show length range
Dots show outliers
2015-2024

High Now Low Average length (mm) 2020 2016 2024 259 362 NA Largest 2021 2015 2024 520 295 NA

10 year average

Now


2024

NA

5.2



Fish lengths percentage Undersize <300mm Legal 300-499mm Trophy 500+mm 2015-2024	High Low Legal-trophy 2019 2015 71% 0% Trophy 2017 2021 5% 0%	Now 2024 NA 2024 NA	CRESSBROOK BASS LENGTHS  100% 90% 80% 70% 40% 40% 40% 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024
GROWTH Growth at end of each	Recaptures	354	CRESSBROOK BASS GROWTH
year (mm/year) 2000-2024	Year 1 Year 2 Year 3 Year 4 Year 5	19 35 43 50 54	y = 21.754ln(x) - 108.89 WW 200 0 365 730 1095 1460 1825 2190 2355 2920 3285 3650 DAYS OUT (YEARS)
LOCATIONS			
Locations Tagged fish (red-orange heat map) Recaptures (blue fish) 2015-2024	Tagged 245 Recaptured 23		Machine Company of the Company of th
Bass after spills Tagged in Cressbrook Recaptured in Lake Wivenhoe (blue fish) 2022-2024	Recaptured Lake Wivenhoe 2		



GOLDEN PERCH	ACTUAL	GRAPH or MAP
TAGGED		
Golden Perch tagged and recaptured 2015-2024	Tagged 13 Recaptured 0 Recapture rate 0% Tagged 2024 0	CRESSBROOK GOLDEN PERCH TAGGED  20 18 16 16 19 12 10 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024

MARY RIVER COD	ACTUAL	GRAPH or MAP
TAGGED		
Mary River Cod tagged and recaptured 2015-2024	Tagged 0 Recorded 0	

#### **Data sources**

Data used in the Lake Cressbrook Crystal Bowl are:

- Tag records and recapture records for the impoundment at http://crystalbowl.infofishaustralia.com.au/.
- Dam level data from Toowoomba Regional Council <a href="https://www.tr.qld.gov.au/environment-water-waste/water-sources-supply-storage-levels/water-sources-supply-storage-levels">https://www.tr.qld.gov.au/environment-water-waste/water-sources-supply-storage-levels</a>.
- Stocked fish records from <a href="https://www.data.qld.gov.au/dataset/queensland-freshwater-fish-stocking-records/">https://www.data.qld.gov.au/dataset/queensland-freshwater-fish-stocking-records/</a>.
- Rainfall records for Station 040808 Cressbrook Dam and Temperature records for Station 040082 University of Queensland gatton from <a href="http://www.bom.gov.au/climate/data/">http://www.bom.gov.au/climate/data/</a>.

## **Basis for analysis**

- Data reliability for fishers based on the sample size over the past 5 years for days fished by taggers and by fishers recapturing fish.
- Data reliability for fish based on average number of fish tagged and recaptured per year over the past 5 years.
- Catch rates calculated as number of fish tagged/day for taggers with a minimum of 12 fisher days (at least 1 per month) to provide a reliable catch rate.
- Undersized Bass and Golden Perch are <300mm, legal fish are >=300 and <500mm and trophy fish are >=500mm.
- Locations based on Infofish grid map LCB for the impoundment and other grid maps where fish were recaptured outside the impoundment.
- Distance moved was the shortest distance by water between the tag and recapture location measured in Google Earth.
- Travel proxy distance is the straight-line distance between where the fisher lives (address, suburb, town or postcode) and the recapture location. Local <60km, intrastate >=60km and postcode starting with 4, interstate not Qld.