

GLADSTONE HARBOUR REVIEW JUNE 2025

INFORMATION RATING



Key species: Barramundi, Mangrove Jack, Yellowfin Bream, Pikey Bream, Barred Javelin

Fish timeframe: 2016-2025 June

Fisher timeframe: 2021-2025 June





Gladstone Harbour is mostly a local fishery with 83% of recaptures reported by locals. Visiting fishers mostly come from Rockhampton, Central and SE Qld with low numbers from interstate, mostly from NSW and Victoria. Tagging and recaptures occur throughout the year with increased activity around May-Jun. Fish tagged during the Boyne Tannum Hookup fishing competition result in a boost in recaptured in May-Jun. Around 43% of taggers and those recapturing fish fished on weekends.

While Barramundi are a key species they are not as prolific as further north. Barramundi become a prime target when Lake Awoonga spills releasing fish from the lake. When that happens fishing for the species increases, particularly in the Boyne River. Following the spill in 2017 in the next 2 years fish tagged in the lake were recaptures in the Boyne River up to 10km below the dam with just 1 fish recaptured further away south along the coast. Since then, there have been few Barramundi tagged or recaptured in the Boyne River.

The lake has not spilled since 2017 and there has not been any significant natural recruitment so that Barramundi numbers have gradually fallen to low levels reflected in lower activity, a fall in the numbers tagged, a lower catch rate, and a fall in the commercial catch.

Mangrove Jack and Bream are other key species although in the last few years there has been an increase in the numbers of Barred Javelin (Grunter) tagged. Flathead are another species targeted by taggers but to a lesser extent.


Based on recaptures of legal fish by recreational fishers (other than taggers) the level of harvest of the key species is around 50% for Barramundi, Mangrove Jack and Bream however is higher at around 90% for Barred Javelin (however numbers are low). The area is a mix of a harvest and experiential fishery although there has been an increase in the release rate of legal fish. This is supported by the continuing increase of live fish (all legal) presented at the live weigh-in at the Boyne Tannum Hook Up and boat ramp surveys during the competition up to 2019 which showed a steady decline in the kept fish catch rate.

GLADSTONE HARBOUR		LOCATION
	Gladstone Harbour Lat S 23.8 Lon E 151.3	
WATERWAYS	ACTUAL	GRAPH or MAP
Gladstone Harbour and adjoining waterways Grid maps Curtis Gladstone CISG Gladstone Harbour GLD Calliope River CR02 Boyne River BRG	Narrows and creeks Curtis Island Gladstone Harbour Auckland Creek Calliope River South Trees Inlet Boyne River	
Commercial QFISH grid	Grid S30	


ENVIRONMENTAL

Gladstone Airport monthly means
Rainfall (mm)
Day air temperature (oC)
All years


Rainfall	Month	mm
High	Feb	159
Low	Sep	27
Temp	Month	oC
High	Feb	31
Low	Jul	23




Gladstone Airport
Monthly rainfall (mm)
Monthly mean (mm)
2021-2025




Calliope River
Monthly flow (ML)
Mean monthly flow (ML)
2021-2025




Lake Awoonga
Dam levels
2016-2025
Spills
2017 (Apr and Nov)




FISHERS		ACTUAL		GRAPH or MAP	
DATA RELIABILITY					
Sample size (days fished)		Reliability level		MODERATE	
Tag days (blue arrow)		Samples		MODERATE	
Recaptures (orange arrow)		Confidence		HIGH	
Confidence %		Error			
Error %					
2021-2025					
TYPE OF FISHERY					
Seasonality		Months most fished		GLADSTONE MEAN RAINFALL AND DAYS FISHED	
Mean monthly rainfall		Combined		JAN	
Days fished combined		May		FEB	
Taggers		Jun		MAR	
Recapture fishers		Feb		APR	
2021-2025		May-Jun influenced by		MAY	
2025 Jan-Jun		Boyne Tannum Hookup		JUN	
		fishing competition tags		JUL	
				AUG	
				SEP	
				OCT	
				NOV	
				DEC	
Harvest or experiential fishery		Key species legal fish harvested		RAINFALL (MM) AND DAYS	
Release rate of recaptured legal fish of key species		Legal fish		0	
2021-2025		Kept		180	
2025 Jan-Jun		Released		160	
				140	
				120	
				100	
				80	
				60	
				40	
				20	
				0	
				JAN	
				FEB	
				MAR	
				APR	
				MAY	
				JUN	
				JUL	
				AUG	
				SEP	
				OCT	
				NOV	
				DEC	
				RAINFALL	
				DAYS FISHED	
				0%	
				20%	
				40%	
				60%	
				80%	
				100%	
				HARVEST	
				EXPERIENTIAL	
				KEPT	
				RELEASED	
				0%	
				20%	
				40%	
				60%	
				80%	
				100%	
				LOCAL	
				VISITOR	
				LOCAL	
				INTRASTATE	
				INTERSTATE	
				0%	
				20%	
				40%	
				60%	
				80%	
				100%	
				MALE	
				FEMALE	
				MALE	
				FEMALE	
				0%	
				20%	
				40%	
				60%	
				80%	
				100%	
				MALE	
				FEMALE	
				MALE	
				FEMALE	
				0%	
				20%	
				40%	
				60%	
				80%	
				100%	
				MALE	
				FEMALE	
				MALE	
				FEMALE	
				0%	
				20%	
				40%	
				60%	
				80%	
				100%	
				MALE	
				FEMALE	
				MALE	
				FEMALE	
				0%	
				20%	
				40%	
				60%	
				80%	
				100%	
				MALE	
				FEMALE	
				MALE	
				FEMALE	
				0%	
				20%	
				40%	
				60%	
				80%	
				100%	
				MALE	
				FEMALE	
				MALE	
				FEMALE	
				0%	
				20%	
				40%	
				60%	
				80%	
				100%	
				MALE	
				FEMALE	
				MALE	
				FEMALE	
				0%	
				20%	
				40%	
				60%	
				80%	
				100%	
				MALE	
				FEMALE	
				MALE	
				FEMALE	
				0%	
				20%	
				40%	
				60%	
				80%	
				100%	
				MALE	
				FEMALE	
				MALE	
				FEMALE	
				0%	
				20%	
				40%	
				60%	
				80%	
				100%	
				MALE	
				FEMALE	
				MALE	
				FEMALE	
				0%	
				20%	
				40%	
				60%	
				80%	
				100%	
				MALE	
				FEMALE	
				MALE	
				FEMALE	
				0%	
				20%	
				40%	
				60%	
				80%	
				100%	
				MALE	
				FEMALE	
				MALE	
				FEMALE	
				0%	
				20%	
				40%	
				60%	
				80%	
				100%	
				MALE	
				FEMALE	
				MALE	
				FEMALE	
				0%	
				20%	
				40%	
				60%	
				80%	
				100%	
				MALE	
				FEMALE	
				MALE	
				FEMALE	
				0%	
				20%	
				40%	
				60%	
				80%	
				100%	
				MALE	
				FEMALE	
				MALE	
				FEMALE	
				0%	
				20%	
				40%	
				60%	
				80%	
				100%	
				MALE	
				FEMALE	
				MALE	
				FEMALE	
				0%	
				20%	
				40%	
				60%	
				80%	
				100%	
				MALE	
				FEMALE	
				MALE	
				FEMALE	
				0%	
				20%	
				40%	
				60%	
				80%	
				100%	
				MALE	
				FEMALE	
				MALE	
				FEMALE	
				0%	
				20%	
				40%	
				60%	
				80%	
				100%	
				MALE	
				FEMALE	
				MALE	
				FEMALE	
				0%	
				20%	
				40%	
				60%	
				80%	
				100%	
				MALE	
				FEMALE	
				MALE	
				FEMALE	
				0%	
				20%	
				40%	
				60%	
				80%	
				100%	
				MALE	
				FEMALE	
				MALE	
				FEMALE	
				0%	
				20%	
				40%	
				60%	
				80%	
				100%	
				MALE	
				FEMALE	
				MALE	
				FEMALE	
				0%	
				20%	
				40%	
				60%	
				80%	
				100%	
				MALE	
				FEMALE	
				MALE	
				FEMALE	
				0%	
				20%	
				40%	
				60%	
				80%	
				100%	
				MALE	
				FEMALE	
				MALE	
				FEMALE	
				0%	
				20%	
				40%	
				60%	
				80%	
				100%	
				MALE	
				FEMALE	
				MALE	
				FEMALE	
				0%	
				20%	
				40%	
				60%	
				80%	
				100%	
				MALE	
				FEMALE	
				MALE	
				FEMALE	
				0%	
				20%	
				40%	
				60%	
				80%	
				100%	
				MALE	
				FEMALE	
				MALE	
				FEMALE	
				0%	
				20%	
				40%	
				60%	
				80%	
				100%	
				MALE	
				FEMALE	
				MALE	
				FEMALE	
				0%	
				20%	
				40%	
				60%	
				80%	
				100%	
				MALE	
				FEMALE	
				MALE	
				FEMALE	
				0%	
				20%	
				40%	
				60%	
				80%	
				100%	
				MALE	
				FEMALE	
				MALE	
				FEMALE	
				0%	
				20%	
				40%	
				60%	
				80%	
				100%	
				MALE	
				FEMALE	
				MALE	
				FEMALE	
				0%	
				20%	
				40%	
				60%	
				80%	
				100%	
				MALE	
				FEMALE	
				MALE	
				FEMALE	
				0%	
				20%	
				40%	
				60%	
				80%	
				100%	
				MALE	
				FEMALE	
				MALE	
				FEMALE	
				0%	
				20%	
				40%	
				60%	
				80%	
				100%	
				MALE	
				FEMALE	
				MALE	
				FEMALE	
				0%	
				20%	
				40%	
				60%	
				80%	
				100%	
				MALE	
				FEMALE	
				MALE	
				FEMALE	
				0%	
				20%	
				40%	
				60%	
				80%	
				100%	
				MALE	
				FEMALE	
				MALE	
				FEMALE	
				0%	
				20%	
				40%	
				60%	
				80%	
				100%	







TRAVEL			
Cumulative distance (km) Fisher home to recapture location 2021-2025 2025 Jan-Jun	Year	Km	
	2021	7078	
	2022	13785	
	2023	4670	
	2024	6101	
	2025 Jan-Jun	2978	
Distance from fisher home to recapture location 2021-2025 2025 Jan-Jun			
Average distance (km) from home to recapture location 2021-2025 2025 Jan-Jun	Av distance (km)		
Distance (km) address to recapture location Bars show distance range Dots show outliers 2021-2025 2025 Jan-Jun	Range (km)		



Gladstone Harbour
where fishers recapturing
fish live (purple houses)
Local and Central Qld
2021-2025
2025 Jan-Jun





LOCATIONS

Fisher activity

Fish tagged (red-orange
heat map)

Recaptures (blue fish)


2021-2025

2025 Jan-Jun

Tagged excludes fish tagged during Boyne Tannum Hook Up

Fish tagged (8068)

Recaptures (967)



COMMERCIAL CATCH

Commercial catch

All species

Qfish grid S30

Days fished

Catch tonnes

2016-2025

*2024 *2025 incomplete

High

Catch (t)

2015

118.1

2015

323

Low

2021

11.9

2021

83

Now

2025

NA

2025

NA

GLADSTONE COMMERCIAL NET DAYS AND CATCH

Year	Days	Tonnes
2016	1050	105
2017	850	85
2018	750	75
2019	650	65
2020	550	55
2021	450	45
2022	350	35
2023	250	25
*2024	150	15
*2025	100	10

Commercial catch

Qfish grid S30

Catch rate (kg/day)

2016-2025

*2024 *2025 incomplete

High

Catch rate (kg/day)

2015

142.9

Low

2020

66.8




Now



2025

NA

GLADSTONE COMMERCIAL NET CATCH RATE

Year	KG/DAY
2016	110.00
2017	105.00
2018	85.00
2019	75.00
2020	70.00
2021	80.00
2022	90.00
2023	75.00
*2024	65.00
*2025	60.00


BARRAMUNDI		ACTUAL		GRAPH or MAP	
					
DATA RELIABILITY					
Sample size (fish/year)		Reliability level		MODERATE	
Tagged (blue arrow)		Samples		MODERATE	
Recaptured (orange arrow)		Confidence		HIGH	
Confidence %		Error			
Error %					
2020-2024					
					
TAGGED AND TAG RATE					
Barramundi		High	Low	Now	
Tagged (1426)		Fish tagged			
Recaptured (457)		2017	2020	2025	
2016-2025		525	23	9	
2025 Jan-Jun		Recaptured (32.2%)			
		2018	2023	2025	
		102	6	4	
Taggers		High	Low	Now	
Days fished		Fisher days			
Tagged fish		2017	2020	2025	
(Feb-Oct open season)		160	10	4	
2016-2025		Catch			
2025 Feb-Jun		2017	2020	2025	
		369	11	8	
Tag rates		High	Low	Now	
Fish/day		Catch rate			
(Feb-Oct open season)		2017	2023	2025	
2016-2025		2.3	1.1	2.0	
2025 Feb-Jun					
					
					
					









LOCATIONS

Barramundi
Tagged (red-orange heat map)
Recaptured (blue fish)
2016-2025
2025 Jan-Jun

Tagged (1164)
Recaptured (375)



RECAPTURE RATE			
Recapture rate by tag length (mm) All years	Length (mm)	Recap rate	
	200-579	17.4%	
	580-749	17.0%	
	750-999	14.7%	
	1000-1199	14.7%	
	1200- All	14.5% 16.3%	
SURVIVAL			
Annual survival rate Percentage recaptures each year All years	Annual survival rate	52%	
Years survival after tagging All years	Survival by years out		
	Year	Recaptures	
	1	1210	
	2	510	
	5	73	
	8	6	
	9.4 (max)	1	
GROWTH			
Barramundi growth by length in first year after tagging (mm/year) All years	Tag length 400-499 112mm/year Tag length 700-799 76mm/year Tag length 1000-1099 35mm/year		


COMMERCIAL CATCH				
Commercial catch Qfish grid S30 Days fished Catch tonnes 2016-2025 *2024 *2025 incomplete	High	Low	Now	
	Catch (t)			
	2015	2021	2025	
	30.3	5.2	NA	
	Days			
	2015	2021	2025	
	323	83	NA	
Commercial catch Qfish grid S30 Catch rate (kg/day) 2015-2024 *2024 incomplete	High	Low	Now	
	Catch rate (kg/day)			
	2015	2018	2025	
	93.7	43.0	NA	

MANGROVE JACK		ACTUAL		GRAPH or MAP	
					
DATA RELIABILITY					
Sample size (fish/year)		Reliability level		MODERATE	
Tagged (blue arrow)		Samples		MODERATE	
Recaptured (orange arrow)		Confidence		HIGH	
Confidence %		Error			
Error %					
2021-2025					
TAGGED AND TAG RATE					
Mangrove Jack		High	Low	Now	
Tagged (1249)		Fish tagged			
Recaptured (124)		2019	2020	2025	
2016-2025		262	80	69	
2025 Jan-Jun		Recaptured (9.9%)			
		2019	2024	2025	
		29	5	3	
Taggers		High	Low	Now	
Days fished		Fisher days			
Tagged fish		2019	2021	2025	
2016-2025		136	26	20	
2025 Jan-Jun		Catch			
		2019	2020	2025	
		262	81	69	
Tag rate		High	Low	Now	
Fish/day		Catch rate			
2016-2025		2021	2017	2025	
2025 Jan-Jun		4.2	1.8	3.5	

LENGTHS


Tag lengths of fish (mm)
Bars show length range
Dots show outliers
2016-2025
2025 Jan-Jun

High	Low	Now
Average length (mm)		
2022	2019	2025
400	336	385
Max length (mm)		
2021	2017	2025
685	510	530



Percentage
Undersize <350mm
Legal 350-500mm
Trophy 500+mm
2016-2025
2025 Jan-Jun


High	Low	Now
Legal-trophy		
2021	2019	2025
79%	42%	78%
Trophy		
2023	2019	2025
9%	3%	1%



SURVIVAL

Years survival after tagging
All years


Survival rate by years out	
Year	Recaptures
1	264
2	84
5	8
5.8 (max)	1



GROWTH

Growth (mm/year)
All years


Growth at end of year (mm)	
Year	mm
Year 1	58
Year 2	105
Year 3	152
Year 4	199



MOVEMENT


Mangrove Jack distance moved (km)
2016-2025
2025 Jan-Jun

Recaptures	93
Same area	65 (56%)
1-10km	22 (19%)
11-25km	5 (4%)
>25km	1 (1%)



Mangrove Jack movement over time
Distance (km)
Time (days)
2016-2025
2025 Jan-Jun

Furthest moved	108km
Days out	796



OFFSHORE MOVEMENT

Mangrove Jack


Offshore recaptures

Tagged (pink fish)

Recaptured (blue fish)

All years


Z27664 recaptured prior to GBRMPA zoning as green zone




LOCATIONS



Mangrove Jack
Tagged (972)
(red-orange heat map)
Recaptured (129)
(blue dots)
2016-2025
2025 Jan-Jun

Tagged excludes fish tagged during Boyne Tannum Hook Up





YELLOWFIN BREAM		ACTUAL		GRAPH or MAP	
					
DATA RELIABILITY					
Sample size (fish/year)		Reliability level		LOW	
Tagged (blue arrow)		Samples		10	
Recaptures (orange arrow)		Confidence		80%	
Confidence %		Error		20%	
Error %					
2021-2025					
TAGGED					
Yellowfin Bream		High		Low	
Tagged (3753)		Fish tagged		Now	
Recaptured (123)		2021		2020	
2016-2025		605		61	
2025 Jan-Jun		Recaptured (3.5%)		2025	
		2022		2020	
		20		3	
				17	



COMMERCIAL CATCH				
Commercial catch Bream (Yellowfin and Pikey) Qfish grid S30 Days fished Catch tonnes 2016-2025 *2024 *2025 incomplete	High	Low	Now	
	Catch (t)			
	2016	2021	2025	
	3.8	0.3	NA	
	Days			
2016	2021	2025		
195	34	NA		
				
Commercial catch Bream (Yellowfin and Pikey) Qfish grid S30 Catch rate (kg/day) 2016-2025 *2024 *2025 incomplete	High	Low	Now	
	Catch rate (kg/day)			
	2014	2021	2025	
	43.5	10.0	NA	
				

PIKEY BREAM		ACTUAL		GRAPH or MAP	
					
DATA RELIABILITY					
Sample size (fish/year)		Reliability level		MODERATE	
Tagged (blue arrow)		Samples		MODERATE	
Recaptures (orange arrow)		Confidence		HIGH	
Confidence %		Error			
Error %					
2021-2025					
TAGGED					
Pikey Bream		High		Low	
Tagged (1758)		Fish tagged		Now	
Recaptured (80)		2018		2021	
2016-2025		284		51	
2025 Jan-Jun		Recaptured (4.6%)		2025	
		2018		2021	
		13		3	
				13	

LENGTHS																							
Lengths of fish (mm) Bars show length range Dots show outliers 2016-2025 2025 Jan-Jun	<table> <tr> <td>High</td><td>Low</td><td>Now</td></tr> <tr> <td>Average length</td><td></td><td></td></tr> <tr> <td>2016</td><td>2020</td><td>2025</td></tr> <tr> <td>284</td><td>239</td><td>269</td></tr> <tr> <td>Max length</td><td></td><td></td></tr> <tr> <td>2020</td><td>2021</td><td>2025</td></tr> <tr> <td>400</td><td>340</td><td>360</td></tr> </table>	High	Low	Now	Average length			2016	2020	2025	284	239	269	Max length			2020	2021	2025	400	340	360	
High	Low	Now																					
Average length																							
2016	2020	2025																					
284	239	269																					
Max length																							
2020	2021	2025																					
400	340	360																					
Fish lengths percentage Undersize <400mm Legal 400-600mm Trophy 600+mm 2016-2025 2025 Jan-Jun	<table> <tr> <td>High</td><td>Low</td><td>Now</td></tr> <tr> <td>Legal-trophy</td><td></td><td></td></tr> <tr> <td>2017</td><td>2020</td><td>2025</td></tr> <tr> <td>89%</td><td>38%</td><td>89%</td></tr> <tr> <td>Trophy</td><td></td><td></td></tr> <tr> <td>No trophy fish any year except 2020</td><td></td><td></td></tr> </table>	High	Low	Now	Legal-trophy			2017	2020	2025	89%	38%	89%	Trophy			No trophy fish any year except 2020						
High	Low	Now																					
Legal-trophy																							
2017	2020	2025																					
89%	38%	89%																					
Trophy																							
No trophy fish any year except 2020																							

MOVEMENT

Pikey Bream movement (km)

2016-2025

2025 Jan-Jun

Recaptures	71
Same area	33 (46%)
1-10km	32 (45%)
11-25km	5 (7%)
Over 25km	1 (1%)

PIKEY BREAM MOVEMENT

DISTANCE MOVED (KM)	Percentage
0	46%
1-10	45%
11-25	7%
26-50	1%
50+	0%

LOCATIONS

Pikey Bream

Tagged (red-orange heat map)

Recaptured (blue fish)


2016-2025





2025 Jan-Jun

Tagged (773)

Recaptured (80)

Tagged excludes fish tagged in Boyne Tannum Hook Up



BARRED JAVELIN		ACTUAL		GRAPH or MAP	
		Change in size composition in 2024 due to Javelin no longer included in live fish weigh-in at BTHU. In previous years legal fish were included in live weigh-in.			
DATA RELIABILITY					
Sample size (fish/year)		Reliability level		MODERATE	
Recaptured (blue arrow)		Samples		MODERATE	
Tagged (orange arrow)		Confidence		HIGH	
Confidence %		Error			
Error %					
2021-2025					
TAGGED					
Javelin		High	Low	Now	
Tagged (1941)		Fish tagged			
Recaptured (22)		2023	2016	2025	
2016-2025		317	52	240	
2025 Jan-Jun		Recaptured (1.3%)			
		2020	2016	2025	
		6	0	0	
					
LENGTHS					
Lengths of fish (mm)		High	Low	Now	
Bars show length range		Average length			
Dots show outliers		2016	2023	2025	
2016-2025		425	359	291	
2025 Jan-Jun		Max length			
		2022	2018	2025	
		710	650	730	
					
Fish lengths percentage		High	Low	Now	
Undersize <400mm		Legal-trophy			
Legal 400-600mm		2016	2020	2025	
Trophy 600+mm		60%	27%	16%	
2016-2025		Trophy			
2025 Jan-Jun		2019	2020	2025	
		9%	2%	2%	
					
MOVEMENT					
Javelin movement (km)		Recaptures	21		
2016-2025		Same area	11 (52%)		
2025 Jan-Jun		1-10km	6 (29%)		
		11-25km	3 (14%)		
		Over 25km	1 (5%)		
					

LOCATIONS

Barred Javelin

Tagged (red-orange heat map)

Recaptured (blue fish)


2016-2025

2025 Jan-Jun



Tagged (1,482)







Recaptured (22)






Tagged excludes fish tagged at Boyne Tannum Hook Up



COMMERCIAL CATCH				
Commercial catch Javelin Qfish grid S30	High	Low	Now	
Days fished	Catch (t)			
Catch tonnes	2016	2021	2025	
2016-2025	3.8	0.3	NA	
*2024 *2025 incomplete	Days			
	2016	2021	2025	
	195	34	NA	
Commercial catch Javelin Qfish grid S30	High	Low	Now	
Catch rate (kg/day)	Catch rate (kg/day)			
2016-2025	2014	2021	2025	
*2024 *2025 incomplete	43.5	10.0	NA	



COMPETITIONS		ACTUAL		GRAPH or MAP	
		Boyne Tannum Hookup 2016-2025 Event cancelled in 2020 due to Covid-19 restrictions			
BOAT RAMP SURVEYS					
Boat ramp surveys Estuary catch rates (fish/day) 2016-2025 (no surveys after 2019)		High Catch rate 2016 4.2	Low 2017 3.1	Now 2025 NA	
Boat ramp surveys Estuary catch rates (fish kept/day) 2016-2025 (no surveys after 2019)		High Kept fish catch rate 2018 0.3	Low 2019 0.05	Now 2025 NA	
Boat ramp surveys Bream catch (Yellowfin and Pikey) (Fish/day) 2016-2025 (no surveys after 2019)		High Bream catch rate 2016 1.7	Low 2018 1.3	Now 2025 NA	
TAGGED					
Live weigh-in Fish tagged Recaptures from each year 2016-2025 2025* more recaptures to come		High Fish tagged 2021 938	Low 2018 412	Now 2025 998	
Species Tagged Recapture rates (%) 2016-2025		Recapture rate Yellowfin Bream 3.1% Dusky Flathead 6.4% Pikey Bream 5.5% Barred Javelin 1.5% Mangrove Jack 8.4%			

LENGTHS				
Lengths of fish (mm) Yellowfin Bream Bars show length range Dots show outliers 2016-2025	High	Low	Now	
	Average length			
	2019	2022	2025	
	296	281	282	
	Max length			
	2019	2023	2025	
	415	380	410	
Lengths of fish (mm) Pikey Bream Bars show length range Dots show outliers 2016-2025	High	Low	Now	
	Average length			
	2016	2023	2025	
	297	277	275	
	Max length			
	2023	2021	2025	
	395	340	360	
Lengths of fish (mm) Dusky Flathead Bars show length range Dots show outliers 2016-2025	High	Low	Now	
	Average length			
	2016	2022	2025	
	538	507	NA	
	Max length			
	2016	2019	2025	
	750	670	NA	
Lengths of fish (mm) Barred Javelin Bars show length range Dots show outliers 2016-2025	High	Low	Now	
	Average length			
	2019	2013	2025	
	512	464	NA	
	Max length			
	2017	2013	2025	
	710	630	NA	
Lengths of fish (mm) Mangrove Jack Bars show length range 2016-2025	High	Low	Now	
	Average length			
	2018	2021	2025	
	429	408	410	
	Max length			
	2021	2017	2025	
	685	510	530	
				
				
				
				
				

MOVEMENT

Days to recapture after release

Bray Park

Gladstone Marina

2016-2025

Days out

0-7 14 (6%)

8-30 60 (25%)


31-90 74 (31%)

91-182 47 (19%)

183-365 28 (12%)

>365 19 (8%)

DAYS TO RECAPTURE AFTER RELEASE



Tagged fish released at

Bray Park

Gladstone Marina

Distance moved (km)

2016-2025

Bray Park Marina

Same area 44% 35%

1-10 41% 25%


11-25 15% 37%

Over 25 1% 3%

Max distance 43 135

Recaps 184 63

DISTANCE MOVED




Distance moved from Bray Park

Park

2016-2025

DISTANCE MOVED FROM BRAY PARK




Distance moved from

Gladstone Marina

2016-2025


DISTANCE MOVED FROM GLADSTONE MARINA




LOCATIONS

Recaptures of BTHU
tagged fish
Bray Park
Gladstone Marina
2016-2025

Bray Park tagged (red-orange heat map) recaptures (red fish)
Marina (purple-blue heat map) recaptures (blue fish)



Recaptures of Flathead tagged in Boyne Tannum Hook Up moved outside area
2016-2025



Data sources

Data used in the Gladstone Crystal Bowl are:

- Tag records and recapture records at <http://crystalbowl.infofishaustralia.com.au/>.
- Boyne Tannum Hook Up competition records at <http://crystalbowl.infofishaustralia.com.au/>.
- Calliope River flows from Castlehope Station 132001A at <https://water-monitoring.information.qld.gov.au/>.
- Gladstone rainfall from Gladstone Airport station 039326 from <http://www.bom.gov.au/climate/data/index.shtml>
- Awoonga Dam level data provided by Gladstone Area Water Board.

Basis for analysis

- Data reliability for fishers based on the sample size over the past 5 years for days fished by taggers and by fishers recapturing fish.
- Data reliability for fish based on average number of fish tagged and recaptured per year over the past 5 years.
- Catch rates calculated as number of fish tagged/day for T20 fishers (taggers) with a minimum of 12 fisher days (at least 1 per month) to provide a reliable catch rate.
- Recapture rates relate to fish tagged in a particular year.
- Growth calculated using logarithmic curve from recaptures where fish were out for 90 days or more and had positive growth.
- Survival rates are calculated based on a model that uses the reduction in the numbers of recaptures each year after tagging.
- Movement distances calculated as the shortest distance by water from the tag to recapture location using Google Earth.
- Proxy travel distance from the recapture fisher's home (address, suburb, city or postcode) to the recapture location is the straight-line distance between locations based on Google Earth coordinates with local <60km, intrastate >=60km and Qld postcodes, and interstate postcodes other than Qld.
- Gender based on names of recapture fishers excluding taggers.