



GOLD COAST ESTUARIES REVIEW JUNE 2025

INFORMATION RATING



Key species: Dusky Flathead, Yellowfin Bream, Mangrove Jack

Fish timeframe: 2016-June 2025 Fisher timeframe: 2021-June 2025

The Gold Coast has extensive waterways both natural and man-made canals. It includes the Broadwater, Cooomera River, Nerang River, numerous lakes and canals, Currumbin Creek and south to the Queensland border.

The Gold Coast is mostly fished by locals and some fishers coming from the Brisbane area catching mainly Flathead, Bream, and Mangrove Jack with those species accounting for 80% of fish tagged. Flathead and Bream are caught by most fishers along with Whiting (not a tagged species) while Mangrove Jack are mainly targeted by specialized fishers that are secretive about their fishing, particularly about their fishing locations. Data on locations presented is generalized and does not identify actual fishing locations.

Tagging effort and recaptures were impacted by high rainfall, flooding in the rivers and Cyclone Alfred in the first half of 2025 and effort is expected to pick up in the second half of the year when conditions are more stable.

The long running Flathead Classic competition is a photo-based event using Trackmyfish with all fish released and is an alternative source of data on Flathead. Catch rates of Flathead in the competition were significantly higher than that for taggers. The number of fish recorded, and the catch rate suggests that the Flathead population on the Gold Coast is in good shape and the species may have benefited from waterway modifications and canal developments. The 2025 Classic will be held again in Sep.

The recapture rate for Flathead was 5.6%, for Bream was 1.3% and for Mangrove Jack was 18.3%. Even though Mangrove Jack are mostly targeted by more skilled fishers the recapture rate suggests a high level of fishing effort for the species.

Taggers generally release all tagged fish they recapture including legal fish. For legal fish recaptured by recreational fishers (ex-taggers) 39% of Flathead were kept, 54% of Bream were kept, and for Mangrove Jack 50% were kept. With a recapture rate of 18.3% for Mangrove Jack the pressure on stocks is very high however is reduced a little by the retention rate.













Product of Infofish Australia

Supported by Suntag, City of Goldcoast and Department of Agriculture and Fisheries






FISHERS	ACTUA	L		GRA	PH or N	ЛАР	
DATA RELIABILITY							
Sample size (days fished)	Reliability level	LOW	41	MODERATE 68	MODERATE 271	384	HIGH 664
Tag days (blue arrow)	Confidence Error	80% 20%		90% 10%	90% 5%		
Recaptures (orange arrow) Confidence %	[21101	1 2070	10,0	10/0			3.0
Error %							
2020-2024							


TYPE OF FISHERY					
Seasonality Mean monthly rainfall Days fished combined Taggers Recapture fishers 2021-2025 2025 (Jan-Jun)	Days fished Months m Fishers combined	691 ost fished Sep Jul	GOLD COAST FISHING SEASONALITY 250 200 200 100 100 100 100 100		
Harvest or experiential Release rate of recaptured legal fish of key species (ex-taggers) Flathead/Bream/M Jack 2016-2025 2025 (Jan-Jun) Local or visitor fishery Where recapture fishers live 2021-2025 2025 (Jan-Jun)	Key species legal fis rate Legal fish Kept Released Recapture fishers Local (in LGA) Visitor	96 42 (44%) 54 (56%) 80 49 (61%) 31 (39%)	TYPE OF FISHERY HARVEST O% 20% 40% 60% 80% 100% REPT RELEASED TYPE OF FISHER OUTSIDE LGA OW 20% 40% 60% 80% 100%		
Fisher gender Gender of recapture fishers (ex-taggers) 2021-2025 2025 (Jan-Jun)	Recapture fishers Male Female	88 83 (94%) 5 (6%)	GENDER OF RECAPTURE FISHERS MALE FEMALE O% 20% 40% 60% 80% 100%		

ACTIVITY				
Monthly activity Days fished Taggers (602) Recapture fishers (89) 2021-2025 2025 (Jan-Jun)	Taggers Recaps	Month Sep Jul Sep Oct	% 16% 13% 16% 11%	GOLD COAST MONTHLY ACTIVITY 18% 10% 10% 10% 10% 10% 10% 10% 10% 10% 10
Weekday activity Days fished Taggers (602) Recapture fishers (89) 2021-2025 2025 (Jan-Jun)	Taggers Recap	Day Weekend Weekdays Weekend Weekdays	% 48% 52% 40% 60%	GOLD COAST WEEKDAY ACTIVITY 30% 25% 20% 10% MON TUE WED THU FRI SAT SUN TAGGERS RECAPTURE FISHERS COMBINED
Location activity Tagged fish (1121) (red-orange heat map) (blue fish) 2021-2025 2025 (Jan-Jun)	Canungra	and the second s		The state of the s



TRAVEL		
Cumulative distance (km) home to recapture location 2021-2025 2025 (Jan-Jun)	Year Km 2021 416 2022 617 2023 732 2024 331 2025 Jan-Jun 49	GOLD COAST CUMULATIVE DISTANCE (KM) 800 700 600 900 1-3an 1+eb1-Mar 1-Apr 1-May 1-Jun 1-Jul 1-Aug 1-Sep 1-Oct 1-Nov 1-Dec 2021 2022 2023 2024 2025
Distance (km) home to recapture location Local (<60km) Intrastate (>=60km Qld) Interstate (Other states) 2021-2025 2025 (Jan-Jun)	Recaptures Local 87 Intrastate 6 Interstate -	DISTANCE HOME TO RECAPTURE LOCATION (KM) 180 160 140 120 100 100 100 100 100 100 100 100 10
Distance (km) home to recapture location Bars show distance range Dots show outliers 2021-2025 2025 (Jan-Jun)	Range (km) Local 1-53 Intrastate 65-148 Interstate -	GOLD COAST PROXY TRAVEL DISTANCE (KM) 160 140 120 100 80 60 40 20 0 INTRASTATE INTERSTATE
Average distance (km) from home to recapture location 2021-2025 (Jan-Jun)	Av distance (km) Local 16 Intrastate 95 Interstate -	GOLD COAST AVERAGE PROXY TRAVEL (KM) 100 90 80 70 60 40 30 20 10 LOCAL INTRASTATE INTERSTATE

WHERE RECAPTURE FISHERS LIVE						
Where recapture fishers live by distance Local (<60km) Intrastate (>=60km Qld) Interstate (Other states) 2021-2025 2025 (Jan-Jun)	Recapture fishers Local Intrastate Interstate	93 87 (94%) 6 (6%) 0 (0%)	WHERE RECAPTURE FI 100% 90% 80% 70% 60% 40% 30% 20% 10%			
Where fishers recapturing fish live Local Intrastate 2021-2025 2025 (Jan-Jun)	Recaptured fish (w Local recapture fis Visitor recapture fi	hers in LGA (red houses) e LGA (blue houses)	80 49 (61%) 31 (39%)		



FISH	ACTUAL	GRAPH or MAP
DUSKY FLATHEAD	YELLOWFIN BREAM	MANGROVE JACK
The state of the s		
EFFORT		
Tag and effort taggers Tagged fish Days fished 2016-2025 2025 (Jan-Jun) Fish tagged and recaptured 2016-2025 2025 (Jan-Jun)	High Low Now Tagged fish 2016 2017 2025 562 251 76 Days 2016 2017 2025 187 86 23 Tagged Recaptured 360 177 Recapture rate 4.9%	GOLD COAST TAG AND EFFORT 500 400 100 2016 2017 2018 2019 2020 2021 2022 2023 2024 2025 GOLD COAST FISH TAGGED AND RECAPTURED 600 600 600 600 600 600 600 6
TAG RATE		0 2016 2017 2018 2019 2020 2021 2022 2023 2024 2025 0 ■■TAGSED ●■RECAPTURED
Tag rate	High Low Now	GOLD COAST TAG RATE
All tagged fish Fish/day 2016-2025 2025 (Jan-Jun)	Tag rate 2020 2023 2025 3.5 2.4 3.3 10 year average 3.0	4.0 3.5 3.0 10 YEAR AVERAGE 2.5 1.0 1.0 0.5 0.0 2016 2017 2018 2019 2020 2021 2022 2023 2024 2025
SPECIES		
Species composition Numbers tagged 2016-2025 2025 (Jan-Jun)	Dusky Flathead 1383 Yellowfin Bream 1345 Mangrove Jack 153 Other species 719	GOLD COAST SPECIES TAGGED 600 500 400 2016 2017 2018 2019 2020 2021 2022 2023 2024 2025 © DUSKY FATHEAD WYELLOWFIN BREAM © MANGROVE JACK © OTHER
Species composition Percentage tagged 2016-2025 2025 (Jan-Jun)	Dusky Flathead 38% Yellowfin Bream 37% Mangrove Jack 4% Combined 80%	GOLD COAST SPECIES TAGGED 100% 90% 80% 70% 50% 40% 30%

FATE


Legal recaptures kept or released Recfishers (ex-taggers) 2016-2025 2025 (Jan-Jun)

 Recaps
 Kept

 Flathead
 59
 23 (39%)


 Bream
 13
 7 (54%)


 Mangrove Jack
 24
 12 (50%)



LOCATIONS

All fish
Tagged (2758) (red-orange
heat map)
Recaptured (149) (blue
fish)
2016-2025
2025 (Jan-Jun)





MOVEMENT


Flathead movement Distance moved (km) 2016-2025 2025 (Jan-Jun)

 Recaptures
 85

 Same area
 65 (76%)


 Moved
 20 (24%)

 Max moved
 47km





LOCATIONS

Flathead Tagged (red-orange heat map) (1073) Recaptured (blue fish) (60) 2016-2025 2025 (Jan-Jun)



BREAM ACTUAL GRAPH or MAP DATA RELIABILITY MODERATE Reliability level LOW MODERATE Sample size (av fish/year) Samples 271 Tagged (blue arrow) Confidence 80% 80% 90% 90% 95% 5% 20% 10% 10% 5% **Recaptures (orange arrow) Confidence %** Error % 2021-2025 **TAGGED Bream tagged and** High Low Now






HIGH

99%


TAG KATE			
Tag rate	High	Low	Now
Bream	Tag rate		
Fish/day	2020	2023	2025
2016-2025	2.7	0.8	3.4
2025 (Jan-Jun)			
	10 year a	verage	1.6

TAC DATE



GOLD COAST BREAM LENGHTS (MM)

LENGTHS					
Average length (mm)	High	Low	Now		
Bars show length range	Average length				
Dots show outliers	2022	2021	2025		
2016-2025	264	232	268		
2025 (Jan-Jun)	Max				
	2020	2023	2025		
	435	325	370		
Fish lengths percentage	High	Low	Now		
Undersize <250mm	Legal-Tr	ophy			
Legal 250-400mm	2022	2020	2025		
Trophy 400+mm	72%	25%	73%		
2016-2025	Trophy				
2025 (Jan-Jun)	2020 only year with trophy				
	fish				



■UNDERSIZE ■LEGAL ■TROPHY


MOVEMENT

Bream movement Distance moved (km) 2016-2025 2025 (Jan-Jun) Recaptures 23
Same area 13 (57%)
Moved 10 (43%)
Max moved 42 km



LOCATIONS

Bream
Tagged (red-orange heat
map) (1073)
Recaptured (blue fish) (16)
2016-2025
2025 (Jan-Jun)




MANGROVE JACK

ACTUAL

GRAPH or MAP



Sample size (av fish/year)
Tagged (blue arrow)
Recaptures (orange arrow)
Confidence %
Error %
2021-2025



TAGGED

Mangrove Jack Tagged Recaptured 2016-2025 2025 (Jan-Jun) High Low Now Tagged 2019 2024 2025 30 7 1 Total Recaps 153 28 (18.3%)



TAG RATE

Tag rate High Low Now **Mangrove Jack** Tag rate Fish/day 2018 2024 2025 2016-2025 2.2 1.0 NA 2025 (Jan-Jun) 10 year average 1.5



LENGTHS

Average length (mm) High Low Now Bars show length range Average length **Dots show outliers** 2025 2020 2018 2016-2025 383 351 NA 2025 (Jan-Jun) Max 2022 2025 2020 590 530 520 Fish lengths percentage High Low Now Undersize <400mm Legal-trophy Legal 400-600mm 2015 2018 2023 Trophy 600+mm 67% 39% 48% 2016-2025 Trophy 2025 (Jan-Jun) 2022 2024 2020 15% 6% 8%




2018 2019 2020 2021 2022 2023 2024

MOVEMENT


Mangrove Jack movement 2016-2025 2025 (Jan-Jun)

Recaptures 23
Same area 17 (74%)
Moved 6 (26%)
Max moved 26km



LOCATIONS

Mangrove Jack Tagged (red-orange heat map) (153) Recaptured (blue fish) (28) 2016-2025 2025 (Jan-Jun)



FLATHEAD CLASSIC

QLD

COMPETITION

Gold Coast Queensland 27.9°S 153.4°E





COMPETITIONS

Competitions
2023
2024

DATES

Dates	Days
27-29/9/2023	3
25-27/9/2023	3

COMPETITORS

	Competitors
2023	646
2024	751

MEASURE

DATA RELIABILITY

Sample size Days fished Confidence % Error % 2023-2024

ACTUAL GRAPH or MAP


Reliability level	LOW		MODERATE	MODERATE		HIGH
Samples	10	41	68	271	384	664
Confidence	80%	80%	90%	90%	95%	99%
_						



EFFORT

Competitors
Days fished
2023
2024

Fishers Days 2023 646 1938 2024 751 2253





CATCH

Flathead		Flathead	All
Total catch	2023	6841	6963
2023	2024	6208	6474
2024			



CATCH RATES Catch rates (fish/day) Flathead ΑII FLATHEAD CLASSIC CATCH RATES **Flathead** 2023 3.5 3.6 **Total catch** 2024 2.8 2.9 2.5 2.0 1.5 2023 2024 **FLATHEAD LENGTHS** FLATHEAD LENGTHS (MM) Flathead size range 2023 2024 Undersize (<400mm) Under 3798 3067 TROPHY Legal-trophy (400-700mm) Legal 2792 3029 **Trophy (>700mm)** Trophy 119 119 LEGAL 2023 200 2024 2023 2024 Flathead size range 2023 2024 FLATHEAD LENGTHS 49% Undersize (<400mm) Under 56% Legal-trophy (400-700mm) 42% 49% Legal Trophy (>700mm) 2% Trophy 2% 2023 2024 ■ UNDERSIZE ■ LEGAL-TROPHY ■ TROPHY Flathead size range FLATHEAD LENGTH RANGE 20mm increments 14.0% 120% 2023 10.0% 2024 8.0% 6.0% 4.0% 2.0% 0.0% 200: 219 200: 239 200: 239 200: 239 200: 299 **FLATHEAD LOCATIONS** Flathead records with 2023 2024 FLATHEAD LOCATIONS **locations** Locations 89% 85% 90% 80% 70% 60% 50% 40% 30% 20% 10% 2023 2024





Data sources

Data used in the Gold Coast Crystal Bowl are:

- Tag records and recapture records at http://crystalbowl.infofishaustralia.com.au/.
- River flow records for Nerang River from Station 146002B at Glenhurst and for Coomera River from Station 146010A at Army Camp from https://water-monitoring.information.gld.gov.au/.
- Fish records from Gold Coast Flathead Classic from Infofish Australia.

Basis for analysis

- Data reliability for fishers based on the sample size over the past 5 years for days fished by taggers and by fishers recapturing fish.
- Data reliability for fish based on average number of fish tagged and recaptured per year over the past 5 years.
- Catch rates calculated as number of fish tagged/day for taggers with a minimum of 12 days (at least 1 per month) to provide an acceptable catch rate.
- For Dusky Flathead undersized fish are <400mm, legal fish are >=400 and <700mm and trophy fish are >=700mm.
- For Yellowfin Bream undersized fish are <250mm, legal fish are >=250mm and <400mm and trophy fish are >=400mm.
- For Mangrove Jack undersized fish are <350mm, legal fish are >=350mm and <500 and trophy fish are >=500mm.
- Locations based on Infofish grid maps GC22, GC23, TWR and LAB for the Gold Coast.
- Movement distance calculated as the shortest distance by water from the tag to the recapture location using Google Earth.
- Distance from fishers' home to recapture location is the straight-line distance between locations based on Google Earth coordinates with Local <60km, Intrastate >=60km and Qld postcodes, Interstate postcodes other than Qld.