



UPPER NOOSA RIVER BASS 2025

INFORMATION RATING



Key species: Australian Bass Fish timeframe: 2016-2025 Fisher timeframe: 2021-2025

Scroll through the dashboard to cover all subjects or for information on a specific subject go to:

UPPER NOOSA RIVER OVERVIEW
UPPER NOOSA RIVER LOCATION
ENVIRONMENTAL CONDITIONS
FISHER ACTIVITY
FISHER EFFORT
FISHER TRAVEL
WHERE RECAPTURE FISHERS LIVE
AUSTRALIAN BASS









Product of Infofish Australia

Supported by Suntag and FFSAQ

UPPER NOOSA RIVER OVERVIEW

The upper Noosa River is largely undeveloped. It is in the Noosa National Park with several campsites along the river. Boating on the river is limited to electric motors and is popular with kayak fishers. Most tagging activity is from Lake Cootharaba to Campsite 3.


Tagging in the upper Noosa River for Bass has been ongoing since the 1980's providing a long timeline of data that helps understand the dynamics of Bass in the river. Being largely a natural system, the Noosa River provides an important comparison with Bass stocked in SEQ lakes.


Over the past decade tagging has been undertaken mostly in Sep-Oct by the same group of taggers. As such fisher activity may not be reflective of the actual activity in the river. Activity was curtailed in 2022 with high flows in the river for most of the year resulting in a lowering of fishing effort and a low number of recaptures.

Bass fishing in the river is mostly experiential with few fish being kept and is mostly a male visitor fishery with those recapturing fish mostly coming from the Sunshine Coast, Brisbane and the Gold Coast.

Bass tagged in the river were mostly undersized with legal fish ranging from 11% in 2019 to 52% in 2023 and 2024. There haven't been any trophy fish over 500mm tagged in any year however the largest fish was 490mm in 2022 and just short of the trophy length.


Bass in the river are slow growing. Fish tagged at 200-300mm grew an average 22mm in the first year and 72mm by the end of the fifth year. However, Bass in the river survive for many years with the longest time out being 20.5 years for a fish tagged in 1996 and recaptured in 2016.






TYPE OF FISHERY DATA RELIABILITY Reliability level MODERATE Sample size (days fished) Tag days (blue arrow) Confidence 80% 80% 90% 90% 95% 99% Error **Recaptures (orange arrow) Confidence %** Error % 2021-2025 Seasonality Months most effort FISHING SEASONALITY Mean monthly rainfall Days fished Sep (mm) Oct Days fished combined **Taggers Recapture fishers** ─_TEMPERATURE → 2021-2025 Harvest or experiential Legal Bass kept rate TYPE OF FISHERY Legal fish fishery 23 Release rate of recaptured Kept 1 (4%) Released 22 (96%) **legal Bass** (ex-taggers) 2021-2025 Local or visitor fishery Recapture fishers TYPE OF FISHER 53 Where recapture fishers Local 15 (28%) live Visitor 38 (72%) 2021-2025 LOCAL VISITOR **Gender of recapture** Recapture fishers 43 GENDER OF RECAPTURE FISHERS fishers (ex-taggers) 0 (0%) Female 2021-2025 Male 43 (100%) MALE FEMALE

FISHER ACTIVITY	
Monthly activity Days fished combined Taggers (48) Recapture fishers (40) 2021-2025	All fishers Month Days Sep 43 (49%) Oct 19 (22%) All fishers DAYS FISHED BY MONTH BOX 70% 60% 40% 30% 40% 30% 20% 40% 30% 40% 40% 30% 40% 40% 30% 40% 40% 40% 40% 40% 40% 40% 40% 40% 4
Weekday activity Days fished combined Taggers (48) Recapture fishers (40) 2021-2025	Weekend 36 (41%) Weekdays 52 (59%) DAYS FISHED BY WEEKDAY 30% 20% 20% 20% 10% 10% 10% 10% 10% 10% 10% 10% 10% 1
Location activity Fish tagged (red-orange heat map) Recaptured (blue fish) 2021-2025	
Tagged 445 Recaptured 54	I Loke Coots arabu



FISHER TRAVEL			
Cumulative distance (km) home to recapture location 2021-2025	Year 2021 2022 2023 2024 2025	Km 1613 1046 1754 1451 1898	CUMULATIVE PROXY TRAVEL DISTANCE (KM) 2000 1800 1600 1400 1200 1200 1200 1301 1401 1401 1401 1401 1401 1401 14
Distance (km) home to recapture location 2021-2025			RECAPTURE FISHERS PROXY TRAVEL 1000 900 800 700 600 100 0 1
Travel proxy distance from where fishers live to recapture location 2021-2025	Local Intrastate Interstate	Range (km) 21-67 96-299 890	RECAPTURE FISHERS PROXY TRAVEL 1000 900
Average proxy distance home to recapture location 2021-2025	Local Intrastate Interstate	Av distance (km) 43 174 890	RECAPTURE FISHER'S PROXY AVERAGE TRAVEL 900 900 (NO NO N



AUSTRALIAN BASS



DATA RELIABILITY


Sample size (av fish/year)
Tagged (orange arrow)
Recaptures (orange arrow)
Confidence %
Error %
2021-2025

Reliability level	LOW		MODERATE	MODERATE		HIGH
Samples	10	41	68	271	384	664
Confidence	80%	80%	90%	90%	95%	99%
Error	20%	10%	10%	5%	5%	5%


TAG AND EFFORT

Fishing effort
Days fished (72)
Fish tagged (703)
Catch rate (fish/day)
2016-2025

Overall catch rate 9.8 Insufficient days fished each year for a yearly catch rate




Bass tagged Recaptured 2016-2025 Tagged 703
Recaptured 78
Recapture rate 11.1%
Tagged 2025 115
Recaptured 2025 13




LENGTHS						
Average length (mm)	High	Low	Now	BASS LENGTHS (MM)		
Bars show length range	Average length			TROPHY		
Dots show outliers	2023	2019	2025	300		
2016-2025	306	255	268	LEGAL 2000		
	Largest			100		
	2022	2021	2025	2016 2017 2018 2019 2020		
	490	365	385	2021 2022 2023 2024 2025		
Fish length percentage (%)	High	Low	Now	BASS LENGTHS		
Undersize <300mm	Legal-trophy			100% 90% 80%		
Legal 300-499mm	2024	2019	2025	70%		
Trophy 500+mm	52%	11%	36%	50%		
2016-2025	Trophy			20% 		
	No fish over 500mm in any			0% 2016 2017 2018 2019 2020 2021 2022 2023 2024 2025		
	year			■UNDERSIZE ■LEGAL ■TROPHY		

GROWTH			
Bass growth based on recaptures	Recaptures Annual growth (mm)	44	BASS GROWTH
Fish tagged 200-300mm	Year 1	22	100
2016-2025	Year 2 Year 3	36 44	60 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	Year 4	50	y = 20.021ln(x) - 96.249
	Year 5	54	0 365 730 1095 1460 1825 2190 2555 DAYS OUT (YEARS)



SURVIVAL			
Bass survival based on recaptures by years out after tagging 1985-2025	Year 1 5 10 15 20 Longest time 20.5	Recaptures 305 101 26 7 1 e out (years)	BASS SURVIVAL 350 300 250 250 250 100 1 2 3 4 5 6 7 8 9 10 11 12 13 YEARS AFTER TAGGING
Annual survival rate All years	Average anno Rate Range	ual survival 0.76 (76%) 0.60-0.86	ANNUAL BASS SURVIVAL RATE 1.00 0.90 0.80 0.70 0.60 0.50 0.40 0.30 0.20 0.10 0.00



Data sources

Data used in the Upper Noosa River Bass Crystal Bowl are:

- Tag records and recapture records at http://crystalbowl.infofishaustralia.com.au/.
- River flow from Station 140002A on Teewah Creek at Coops Corner from https://water-monitoring.information.qld.gov.au/.
- Rainfall from Station 040995 Noosaville and temperature from Station 040861 Sunshine Coast Airport from http://www.bom.gov.au/climate/data.

Basis for analysis

- Data reliability for fishers based on the sample size over the past 5 years for days fished by taggers and by fishers recapturing fish.
- Data reliability for fish based on average number of fish tagged and recaptured per year over the past 5 years.
- Catch rates calculated as number of fish tagged/fisher day for T20 fishers (taggers) with a minimum of 12 fisher days (at least 1 per month) to provide a reliable catch rate.
- Undersized Bass are <300mm, legal fish are >=300 and <500mm and trophy fish are >=500mm.
- Growth calculated using a logarithmic curve from recaptures where fish were out for 90 days or more and had positive growth.
- Survival rate based on the number of recaptures each year after tagging.
- Movement distance calculated as the shortest distance by water from the tag to the recapture location using Google Earth.
- Distance from fisher's home to recapture location is the straight-line distance between locations based on Google Earth coordinates with Local <80km, Intrastate >=80km and Qld postcodes, Interstate postcodes other than Qld.